



Ref. Certif. No.

**DK-163532-UL**

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Commercial induction hob

Name and address of the applicant

Angelo PO Grandi Cucine SPA con Socio Unico  
Strada Statale 413 Romana Sud 90  
CARPI, MO, 41012  
Italy

Name and address of the manufacturer

Angelo PO Grandi Cucine SPA con Socio Unico  
Strada Statale 413 Romana Sud 90  
CARPI, MO, 41012  
Italy

Name and address of the factory

Angelo PO Grandi Cucine SPA con Socio Unico  
Strada Statale 413 Romana Sud 90  
CARPI, MO, 41012  
Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

- a) 380-415 V 3N ~ 50-60 Hz IPX4 max 20 kW and max 32 A
- b) 380-415 V 3N ~; 50-60 Hz IPX5, max 28 kW and max 44 A
- c) 380-415 V 3N ~; 50-60 Hz IPX5, max 28 kW and max 44 A

☒ Additional Information on page 2-3

Trademark / Brand (if any)

ANGELO PO

Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

- a) \*S\*VT1E\*-\*1
- b) \*\*\*VT\*E-\*
- c) \*\*WVT\*|V-\*3

☒ Additional Information on page 2-3

Additional information (if necessary may also be reported on page 2)

National Differences: EU Group Differences, AU, DK, FI, NZ, NO, SA, SE, GB

☒ Additional Information on page 3

A sample of the product was tested and found to be in conformity with

IEC 60335-2-36:2017, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

25-4791536601 issued on 2025-02-26

This CB Test Certificate is issued by the National Certification Body



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-02-27

Signature:

Thomas Wilson

**Additional Model Detail(s):**

| Icon7000        |             |          |                |            |             |          |
|-----------------|-------------|----------|----------------|------------|-------------|----------|
| MODELS          | Voltage (V) | N° Phase | Frequency (Hz) | Power (kW) | Current (A) | IPX code |
| 0S0VT1E-*****1  | 380-415     | 3        | 50-60          | 7,0        | 11,0        | 4        |
| 0S0VT1EB-*****1 | 380-415     | 3        | 50-60          | 10,0       | 16,0        | 4        |
| 1S0VT1E-*****1  | 380-415     | 3        | 50-60          | 14,0       | 22,0        | 4        |
| 1S0VT1EB-*****1 | 380-415     | 3        | 50-60          | 20,0       | 32,0        | 4        |
| 0S1VT1E-*****1  | 380-415     | 3        | 50-60          | 7,0        | 11,0        | 4        |

| Key                     | Or | Code  | Description                                                          |
|-------------------------|----|-------|----------------------------------------------------------------------|
| n.1 - Width             |    | 0     | 400 mm, one module                                                   |
|                         | Or | 1     | 800 mm, two modules                                                  |
| n.2 - Product line      |    | S     | Icon 7000 IPx4                                                       |
| n.3 - Height            |    | 0     | 250 mm (top)                                                         |
|                         | Or | 1     | 900 mm (counter)                                                     |
| n.4 to 5 - Type         |    | VT    | Pyroceram cooking range                                              |
| n.6 - Hob type zone     |    | 1     | Overall hob heating                                                  |
| n.7 - Heating zone type |    | E     | EGO induction module                                                 |
| n.8 - Hob power modules |    | Blank | 7 kW module for ICON7000                                             |
|                         | Or | B     | 10 kW module for ICON7000                                            |
| n.9 to 12               |    | ****  | N.4 alphanumeric character for internal use with no impact on safety |
| n.13                    |    | 1     | INTRO Q1 generator                                                   |

| Icon9000       |             |          |                |            |             |          |
|----------------|-------------|----------|----------------|------------|-------------|----------|
| MODELS         | Voltage (V) | N° Phase | Frequency (Hz) | Power (kW) | Current (A) | IPX code |
| 0N0VT1E-*****1 | 380-415     | 3        | 50-60          | 10,0       | 16,0        | 5        |
| 0N1VT1E-*****  | 380-415     | 3        | 50-60          | 10,0       | 16,0        | 5        |
| 1N0VT1E-*****1 | 380-415     | 3        | 50-60          | 20,0       | 32,0        | 5        |
| 1N1VT1E-*****  | 380-415     | 3        | 50-60          | 20,0       | 32,0        | 5        |
| 0N1VT2E-*****  | 380-415     | 3        | 50-60          | 14,0       | 22,0        | 5        |
| 1N1VT2E-*****  | 380-415     | 3        | 50-60          | 28,0       | 44,0        | 5        |


**Additional information (if necessary)**


☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-02-27

Signature:



Thomas Wilson

| Product models key codes- Icon 9000 |    |       |                                                                           |
|-------------------------------------|----|-------|---------------------------------------------------------------------------|
| Key                                 | Or | Code  | Description                                                               |
| n.1 - Width                         |    | 0     | 400 mm, one module                                                        |
|                                     | Or | 1     | 800 mm, two modules                                                       |
| n.2 - Product line                  |    | N     | Icon 9000 (20/10 mm thickness top) IPx5                                   |
|                                     | Or | T     | Icon 9000 (30/10 mm thickness) IPx5                                       |
| n.3 - Height                        |    | 0     | 250 mm (top) and Compact generator (INTRO Q1)                             |
|                                     | Or | 1     | 900 mm (counter) and VARIO Q1 GENERATOR                                   |
| n.4 to 5 - Type                     |    | VT    | Pyroceram cooking range                                                   |
| n.6 - Hob power modules             |    | 1     | 10kW power generator                                                      |
|                                     | Or | 2     | 14kW power generator                                                      |
| n.7 - Heating zone type             |    | E     | EGO induction module                                                      |
| n.8 to 12                           |    | ***** | Max N.5 alphanumeric characters for internal use with no impact on safety |
| n.13 Generator type                 |    | blank | VARIO Q1 generator                                                        |
|                                     |    | 1     | INTRO Q1 generator                                                        |

| Omega          |             |          |                |            |             |          |
|----------------|-------------|----------|----------------|------------|-------------|----------|
| MODELS         | Voltage (V) | N° Phase | Frequency (Hz) | Power (kW) | Current (A) | IPX code |
| 04WVT1IV-****3 | 380-415     | 3        | 50-60          | 10,0       | 16,0        | 5        |
| 04WVT2IV-****3 | 380-415     | 3        | 50-60          | 14,0       | 22,0        | 5        |
| 08WVT1IV-****3 | 380-415     | 3        | 50-60          | 20,0       | 32,0        | 5        |
| 08WVT2IV-****3 | 380-415     | 3        | 50-60          | 28,0       | 44,0        | 5        |

| Product models key codes - Omega |    |      |                                                                      |
|----------------------------------|----|------|----------------------------------------------------------------------|
| Key                              | Or | Code | Description                                                          |
| n.1 to 2 - Width                 |    | 04   | 400 mm, one module                                                   |
|                                  | Or | 08   | 800 mm, two modules                                                  |
| n.3 - Product line               |    | W    | Omega IPx5                                                           |
| n.4 to 5 - Type                  |    | VT   | Pyroceram cooking range                                              |
| n.6 Hob power modules            |    | 1    | 10kW power generator                                                 |
|                                  | Or | 2    | 14kW power generator                                                 |
| n.7 to 8 - Heating zone type     |    | IV   | induction module                                                     |
| n.9 to 12                        |    | **** | N.4 alphanumeric character for internal use with no impact on safety |
| n. 13                            |    | 3    | VARIO Q1 generator                                                   |

**Additionally evaluated to:**

EN 60335-1:2012, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A15:2021, EN 60335-1:2012/A16:2023, EN 60335-2-36:2002, EN 60335-2-36:2002/A1:2004, EN 60335-2-36:2002/A2:2008, EN 60335-2-36:2002/A11:2012, EN 62233:2008


**Additional information (if necessary)**


☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-02-27

Signature:



Thomas Wilson