## IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia









IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

## CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

## Angelo Po Grandi Cucine S.p.A.

Strada Statale Romana Sud, 90, Carpi (MO), 41012, Italy

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;— Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity — Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules, the right to use the WaterMark in accordance with the Procedures for Certification of Plumbing and Drainage Products - WaterMark Technical Specification and the Plumbing Code of Australia only in respect of the certified product as described in the attached WaterMark Schedule. The Licence is granted subject to the rules governing the Watermark Certification Scheme and the Terms and Conditions for WaterMark Certification

Evaluated to:

WMTS101:2016

Appliances (low hazard rating)

Manufacturer:

Refer to Licence Holder

Licence No.: WM-032109 First Certified: 22 April 2020

Certification Date: 22 April 2020 Expiry Date: 21 April 2021

Chief Executive Officer of The IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



## WATERMARK CERTIFICATE OF CONFORMITY SCHEDULE OF CERTIFIED PRODUCT







Certificate Holder: Angelo Po Grandi Cucine S.p.A.

Address: Strada Statale Romana Sud, 90, Carpi

(MO),41012,Italy

Manufacturer: Refer to Licence Holder

Licence No: WM-032109

Certification Date: 22 April 2020

Expiry Date: 21 April 2021 First Certified: 22 April 2020

Standards: WMTS101:2016

Title: Appliances (low hazard rating)

· ·	FX FX	FX61G2	Steamer/humidifier	<u></u>			Pressure	Temp Delivery
Angelo Po	FX		Steamenhamallel	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
7 angelo i o		FX61G3	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G2R	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G3R	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G2C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G3C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G2CR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G3CR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61G3P	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G2	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G3	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G2C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G2T	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G3T	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G2TR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G3TR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G3C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82G3CT	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101G2	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101G3	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient

Ages Polity         FX         FX101GSR         Sleamer-humsfare         Gas Contal Own supplied with WMM confined PRV and datal check valves.         DN15         Rys12**         900Fps         Amitted Name           Angelo Pol         FX         PX101GSC         Sleamer-humsfare         Gas Contal Own supplied with WMM confined PRV and datal check valves.         DN15         Rys12**         2008Fps         Amitted Name           Angelo Pol         FX         PX101GSC         Sleamer-humsfare         Gas Contal Own supplied with WMM confined PRV and datal check valves.         DN15         Rys12**         2008Fps         Amitted Name           Angelo Pol         FX         PX101GSC         Sleamer-humsfare         Gas Contal Own supplied with WMM confined PRV and datal check valves.         DN16         Rys12**         2008Fps         Amitted Name           Angelo Pol         FX         PX101GSC         Sleamer-humsfare         Gas Contal Own supplied with WMM confined PRV and datal check valves.         DN16         Rys12**         2008Fps         Amitted Name           Angelo Pol         FX         PX101GSC         Sleamer-humsfare         Gas Contal Own supplied with WMM confined PRV and datal check valves.         DN16         Rys12**         2008Fps         Amitted Name           Angelo Pol         FX         PX101GSC         Sleamer-humsfare         Gas Contal Own supp	Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Inlet	Max Working Pressure	Nominated Max Temp Delivery
Angele Pe         PX         PX10 (SQC         Securethundfiller         Gas Combi Ones supplied with WMX certified PRV and data check value.         DN16         Ry10*         SQUAR         Anders           Angele Pe         PX         PX10**GGC         Steamenhundfiller         Gas Combis Ones supplied with WMX certified PRV and data check value.         DN16         Ry10*         3000*a         Anders           Angele Pe         PX         PX10***GGC         Steamenhundfiller         Gas Combi Ones supplied with WMX certified PRV and data check value.         DN16         Ry10*         3000*a         Anders           Angele Pe         PX         PX10****CGC         Steamenhundfiller         Gas Combi Ones supplied with WMX certified PRV and data check value.         DN16         Ry10*         3000*a         Anders           Angele Pe         PX         PX12****CGC         Steamenhundfiller         Gas Combi Ones supplied with WMX certified PRV and data check value.         DN16         Ry10*         3000*a         Anderser           Angele Pe         PX         PX12****CGC         Steamenhundfiller         Gas Combi Ones supplied with WMX certified PRV and data check value.         DN16         Ry10*         3000*a         Anderser           Angele Pe         PX         PX12************CGC         Steamenhundfiller         Gas Combi Ones supplied with WMX certified PRV and	Angelo Po	FX	FX101G2R	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angele Po         FX         PX101G2C         Stementhumidifier         Gas Comb Own supplied with VAMC confided PRV and dual check valve.         ON16         Ry12         300kPa         Arbitral           Angele Po         XX         PX10G2CR         Stementhumidifier         Gas Comb Own supplied with VAMC confided PRV and dual check valve.         ON16         Ry12         300kPa         Arbitral           Angele Po         XX         PX10G2CR         Stementhumidifier         Gas Comb Own supplied with VAMC confided PRV and dual check valve.         ON16         Ry12         300kPa         Arbitral           Angele Po         XX         PX12G2G         Stementhumidifier         Gas Comb Own supplied with VAMC confided PRV and dual check valve.         ON16         Ry12         300kPa         Arbitral           Angele Po         XX         PX12G2G         Stementhumidifier         Gas Comb Own supplied with VAMC conflided PRV and dual check valve.         ON16         Ry12         300kPa         Arbitral           Angele Po         XX         PX12G2CG         Stementhumidifier         Gas Comb Own supplied with VAMC conflided PRV and dual check valve.         ON16         Ry12         300kPa         Arbitral           Angele Po         XX         PX12G2CG         Stementhumidifier         Gas Comb Own supplied with VAMC conflided PRV and dual check valve.	Angelo Po	FX	FX101G3R	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
	Angelo Po	FX	FX101G2C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX10GSCR         Stemenhumidifier         Gas Comb Oven supplied with Wiff certified PTV and dual check value.         DN15         Rp12**         500-99         Ambient           Angelo Po         FX         FX10TGSP         Security         Case Comb         Coven supplied with Wiffs certified PTV and dual check value.         DN15         Rp12**         500-99         Ambient           Angelo Po         FX         FX12CGS         Steamenhumidifier         Gas Comb Oven supplied with Wiffs certified PTV and dual check value.         DN15         Rp12**         500-99         Ambient           Angelo Po         FX         FX12CGST         Steamenhumidifier         Gas Comb Oven supplied with Wiffs certified PTV and dual check value.         DN15         Rp12**         500-99         Ambient           Angelo Po         FX         FX12CGST         Stemannerhumidifier         Gas Comb Oven supplied with Wiffs certified PTV and dual check value.         DN15         Rp12**         500-99         Ambient           Angelo Po         FX         FX12CGSTC         Steamenhumidifier         Gas Comb Oven supplied with Wiffs certified PTV and dual check value.         DN15         Rp12**         500-99         Ambient           Angelo Po         FX         FX12CGSTC         Steamenhumidifier         Gas Comb Oven supplied with Wiffs certified PTV an	Angelo Po	FX	FX101G3C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX 10 GSP         Sessmerthumidifier         Gas Cornh Oven supplied with WAlfv certified PKV and dual check valve.         DN15         Rp12**         300 Pale         Ambient           Angelo Po         FX         FX 12232         Sessmerthumidifier         Gas Cornh Oven supplied with WAlfv certified PKV and dual check valve.         DN16         Rp12**         300 Pale         Ambient           Angelo Po         FX         FX 122021         Sessmerthumidifier         Gas Cornh Oven supplied with WAlfv certified PKV and dual check valve.         DN16         Rp12**         300 Pale         Ambient           Angelo Po         FX         FX 122021         Sessmerthumidifier         Gas Cornh Oven supplied with WAlfv certified PKV and dual check valve.         DN16         Rp12**         300 Pale         Ambient           Angelo Po         FX         FX 122031         Sessmerthumidifier         Gas Cornh Oven supplied with WAlfv certified PKV and dual check valve.         DN16         Rp12**         300 Pale         Ambient           Angelo Po         FX         FX 122031C         Sessmerthumidifier         Gas Cornh Oven supplied with WAlfv certified PKV and dual check valve.         DN16         Rp12**         300 Pale         Ambient           Angelo Po         FX         FX 201032         Sessmerthumidifier         Gas Cornh Oven supplied with	Angelo Po	FX	FX10G2CR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX122CS         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN16         Rp12*         300kPa         Ambient           Angelo Po         FX         FX122CS3         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN16         Rp12*         300kPa         Ambient           Angelo Po         FX         FX122CST         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN16         Rp12*         300kPa         Ambient           Angelo Po         FX         FX122CSC         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN16         Rp12*         300kPa         Ambient           Angelo Po         FX         FX122CSC         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN16         Rp12*         300kPa         Ambient           Angelo Po         FX         FX122GSC         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN16         Rp12*         300kPa         Ambient           Angelo Po         FX         FX201GSP         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve	Angelo Po	FX	FX10G3CR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX12203         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.         DN16         Rp12"         300kPa         Ambient           Angelo Po         FX         FX1220T3         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.         DN16         Rp12"         300kPa         Ambient           Angelo Po         FX         FX122GT2         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.         DN15         Rp12"         300kPa         Ambient           Angelo Po         FX         FX122GXC         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.         DN16         Rp12"         300kPa         Ambient           Angelo Po         FX         FX123GXT         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.         DN16         Rp12"         300kPa         Ambient           Angelo Po         FX         FX201G3         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.         DN16         Rp12"         300kPa         Ambient           Angelo Po         FX         FX201G3         Steamenhumidifier         Qas Combi Oven supplied with WMK certified PRV and dual chack valve.	Angelo Po	FX	FX101G3P	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX12G2T         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12**         300kPa         Ambeint           Angelo Po         FX         FX12G3C         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12**         300kPa         Ambeint           Angelo Po         FX         FX12G3C         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12**         300kPa         Ambeint           Angelo Po         FX         FX12G3CT         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12**         300kPa         Ambeint           Angelo Po         FX         FX12G3CT         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12**         300kPa         Ambeint           Angelo Po         FX         FX201G3P         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12**         300kPa         Ambeint           Angelo Po         FX         FX201G3P         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check v	Angelo Po	FX	FX122G2	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX12G3T         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check valve.         DN15         Rp12*         2000 Pa         Ambient           Angelo Po         FX         FX122G3C         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check valve.         DN15         Rp12*         3000 Pa         Ambient           Angelo Po         FX         FX12G3CT         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check valve.         DN15         Rp12*         3000 Pa         Ambient           Angelo Po         FX         FX12G3TR         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check valve.         DN15         Rp12*         3000 Pa         Ambient           Angelo Po         FX         FX201G3         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check valve.         DN15         Rp12*         3000 Pa         Ambient           Angelo Po         FX         FX201G3P         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check valve.         DN15         Rp12*         3000 Pa         Ambient           Angelo Po         FX         FX201G3P         Steamer/humidifier         Gas Combi Oven supplied with WMX certified PRV and dual check	Angelo Po	FX	FX122G3	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX12292C         Staamenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX1293CS         Staamenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX1233CT         Staemenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G2         Staemenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G2         Staemenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G2P         Staemenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G2P         Staemenhumidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.<	Angelo Po	FX	FX122G2T	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX12G3C         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12*         300kPa         Ambient           Angelo Po         FX         FX12G3CT         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12*         300kPa         Ambient           Angelo Po         FX         FX2G1G2         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12*         300kPa         Ambient           Angelo Po         FX         FX201G3         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12*         300kPa         Ambient           Angelo Po         FX         FX201G3         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12*         300kPa         Ambient           Angelo Po         FX         FX201G3P         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp12*         300kPa         Ambient           Angelo Po         FX         FX202G3         Steamer/hundifiler         Gas Combi Oven supplied with WMK certified PRV and dual check valve. <td>Angelo Po</td> <td>FX</td> <td>FX122G3T</td> <td>Steamer/humidifier</td> <td>Gas Combi Oven supplied with WMK certified PRV and dual check valve.</td> <td>DN15</td> <td>Rp1/2"</td> <td>300kPa</td> <td>Ambient</td>	Angelo Po	FX	FX122G3T	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         FX         FX12G3CT         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX12G3TR         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G3         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G3         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX201G3P         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX202G3         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check valve.         DN15         Rp1/2*         300kPa         Ambient           Angelo Po         FX         FX202G3         Steamer/humidifier         Gas Combi Oven supplied with WMK certified PRV and dual check va	Angelo Po	FX	FX122G2C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX12G3TR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient Angelo Po FX FX201G2 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient Angelo Po FX FX201G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Ambient RAngelo Po FX FX202G3 Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp12" 300kPa Amb	Angelo Po	FX	FX122G3C	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX201G2 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX201G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX81ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX81ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambien	Angelo Po	FX	FX12G3CT	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX201G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX102G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient An	Angelo Po	FX	FX12G3TR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX201G2P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX81ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Amb	Angelo Po	FX	FX201G2	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX201G3P Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 30	Angelo Po	FX	FX201G3	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX202G2 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX82G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300k	Angelo Po	FX	FX201G2P	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX202G3 Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 R	Angelo Po	FX	FX201G3P	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX61G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. D	Angelo Po	FX	FX202G2	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX61GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX82G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX102G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po BX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2* 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valv	Angelo Po	FX	FX202G3	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX82G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX Extra Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX Extra Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX Extra Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valv	Angelo Po	ВХ	BX61G	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX101G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX62E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Amgelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Amgelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Amgelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Amgelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV an	Angelo Po	ВХ	BX61GR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX101GR Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122G Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX102E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX82G	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX122G Steamer/humidifier Gas Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX101G	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX61E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX101GR	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX61ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	BX	BX122G	Steamer/humidifier	Gas Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX82E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX61E	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX101E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient  Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX61ER	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX101ER Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX82E	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po BX BX122E Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX101E	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX10E2CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	ВХ	BX101ER	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
	Angelo Po	ВХ	BX122E	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po FX FX10E3CR Steamer/humidifier Electric Combi Oven supplied with WMK certified PRV and dual check valve. DN15 Rp1/2" 300kPa Ambient	Angelo Po	FX	FX10E2CR	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
	Angelo Po	FX	FX10E3CR	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Inlet	Max Working Pressure	Nominated Max Temp Delivery
Angelo Po	FX	FX12E3CT	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E2	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E2C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E2CR	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E2R	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E3	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E3C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E3CR	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E3P	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX61E3R	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E2	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E2T	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E2TR	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E3	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E3C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E3CT	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E3T	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX82E3TR	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E2	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E2C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E2R	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E3	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E3C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E3P	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX101E3R	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX122E2	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX122E2C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX122E2T	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX122E3C	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX122E3	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX122E3T	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX201E2	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX201E2P	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX201E3	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po	FX	FX201E3P	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient

Ageath Polity         FX         PX20222         Steamer-buristifier         Electric Control Covers supplied with WMX certified PTMY and dual check valve.         DNS         Rys12**         300mg         Attituted           Angels Polity         COM0000         1118/BBAS         Water using appliances         Gas Bins Pain supplied with WMX certified all ethes valve.         DNS         Rys2**         400mg         optic           Angels Polity         COM0000         1118/BBAS         Water using appliances         Gas Bins Pain supplied with WMX certified all ethes valve.         DNS         Rys2**         400mg         optic           Angels Polity         COM0000         1118/BBAS         Water using appliances         Gas Bins Pain supplied with WMX certified dual ethesis valve.         DNS         Rys2**         400mg         600mg           Angels Polity         COM0000         1118/BBAS         Water using appliances         Gas Bins Pain supplied with WMX certified dual ethesis valve.         DNS         Rys2**         400mg         600mg           Angels Polity         COM0000         2118/BBAS         Water using appliances         Gas Bins Pain supplied with WMX certified dual ethesis valve.         DNS         Rys2**         400mg         600mg           Angels Polity         COM0000         2118/BBAS         Water using appliances         Gas Bins Pain supplied	Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Inlet	Max Working Pressure	Nominated Max Temp Delivery
Note   10	Angelo Po	FX	FX202E2	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angelo Po         CON1000         INTRISCO         Water using appliances         Gas Brat Para supplied with WMK certified dual check valve.         ONZO         RgAd*         400kPa         000kPa           Angelo Po         CON10000         11 BIREZOA         Water using appliances         Gas Brat Para supplied with WMK certified dual check valve.         ONZO         RgAd*         400kPa         000kPa           Angelo Po         CON10000         11 BIRE IGA         Water using appliances         Gas Brat Para supplied with WMK certified dual check valve.         DNZO         RgAd*         400kPa         000kPa           Angelo Po         CON10000         11 BIRE IGA         Water using appliances         Gas Brat Para supplied with WMK certified dual check valve.         DNZO         RgAd*         400kPa         000kPa           Angelo Po         CON10000         21 BIRESA         Water using appliances         Gas Brat Para supplied with WMK certified dual check valve.         DNZO         RgAd*         400kPa         000kPa           Angelo Po         CON10000         21 BIRESA         Water using appliances         Gas Brat Para supplied with WMK certified dual check valve.         DNZO         RgAd*         400kPa         000kPa           Angelo Po         CON10000         21 BIRESA         Water using appliances         Gas Brat Para supplied with WMK certified dual	Angelo Po	FX	FX202E3	Steamer/humidifier	Electric Combi Oven supplied with WMK certified PRV and dual check valve.	DN15	Rp1/2"	300kPa	Ambient
Angele Po         CON9000         1 NTR PECA         Votable valuing appliances         Gas Earst Pars supplied with WMN certified dual check valve.         DN20         Rg.04**         400 Por         60 A°C           Angele Po         CON90000         1 NTR PECA         Water using appliances         Gas Bar Pars supplied with WMN certified dual check valve.         DN20         Rg.04**         400 Par         60 A°C           Angele Po         CON90000         1 NTR PECA         Water using appliances         Gas Bar Pars supplied with WMN certified dual check valve.         DN20         Rg.04**         400 Par         60 A°C           Angele Po         CON90000         2 NTR PECA         Water using appliances         Gas Bar Pars supplied with WMN certified dual check valve.         DN20         Rg.04**         400 Par         60 A°C           Angele Po         CON90000         2 NTR PECA         Water using appliances         Gas Bar Pars supplied with WMN certified dual check valve.         DN20         Rg.04**         400 Par         60 A°C           Angele Po         CON90000         2 NTR PECA         Water using appliances         Gas Bar Pars supplied with WMN certified dual check valve.         DN20         Rg.04**         400 Par         60 A°C           Angele Po         CON90000         1 NTR PECA         Water using appliances         Gas Bar Pars supplied wi	Angelo Po	ICON9000	1N1BR3GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON8000         INIBRIG         Volume appliance         Gas bird Pan supplied with Wilk certified dual check valve.         DN20         Rp34***         400 MPs         60 Å*C           Angelo Po         ICON8000         INIBRIG         Value rusing appliances         Gas Prif Pan supplied with Wilk certified dual check valve.         DN20         Rp34***         400 MPs         60 Å*C           Angelo Po         ICON8000         21 BR3GA         Value rusing appliances         Gas Brif Pan supplied with Wilk certified dual check valve.         DN20         Rp34***         400 MPs         60 Å*C           Angelo Po         ICON8000         21 BR3GA         Value rusing appliances         Gas Brif Pan supplied with Wilk certified dual check valve.         DN20         Rp34***         400 MPs         60 Å*C           Angelo Po         ICON8000         21 BR3GA         Value rusing appliances         Gas Brif Pan supplied with Wilk Certified dual check valve.         DN20         Rp34***         400 MPs         60 Å*C           Angelo Po         ICON8000         21 BR3GA         Value rusing appliances         Gas Brif Pan supplied with Wilk Certified dual check valve.         DN20         Rp34***         400 MPs         60 Å*C           Angelo Po         ICON8000         11 BR3GA         Value rusing appliances         Gas Brif Pan supplied with Wilk Certifie	Angelo Po	ICON9000	1N1BR3G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angele Po         ICON8000         INTBRTIGA         Water using appliances         Gas Biral Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angele Po         ICON8000         1818R30         Water using appliances         Gas Brail Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angele Po         ICON8000         2818R30         Water using appliances         Gas Brail Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angele Po         ICON8000         2818R30         Water using appliances         Gas Brail Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angele Po         ICON8000         2918R30         Water using appliances         Gas Brail Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angele Po         ICON8000         3918R30         Water using appliances         Berich Brail supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angele Po         ICON8000         1918R36         Water using appliances         Berich Brail supplied with WMK certified dual check valve.	Angelo Po	ICON9000	1N1BR2GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON0000         IMBRTIG         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         4000Pa         00A*C           Angelo Po         ICON0000         2MBRTGA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         4000Pa         00A*C           Angelo Po         ICON0000         2MBRTGA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         4000Pa         00A*C           Angelo Po         ICON0000         2MBRTGA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         4000Pa         00A*C           Angelo Po         ICON0000         2MBRTGA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         4000Pa         00A*C           Angelo Po         ICON0000         1MBRTGA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         4000Pa         00A*C           Angelo Po         ICON0000         1MBRTGA         Water using appliances         Bictric Brat Pan supplied with WMK certified dual check valve. </td <td>Angelo Po</td> <td>ICON9000</td> <td>1N1BR2G</td> <td>Water using appliances</td> <td>Gas Brat Pan supplied with WMK certified dual check valve.</td> <td>DN20</td> <td>Rp3/4"</td> <td>400kPa</td> <td>60°C</td>	Angelo Po	ICON9000	1N1BR2G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         CON9000         2NTBRSGA         Water using appliances         Gas Briaf Pan supplied with WMK certified dual check valve.         DN20         R9.34*         400kPa         60Å*C           Angelo Po         CON9000         2NTBRSGA         Water using appliances         Gas Briaf Pan supplied with WMK certified dual check valve.         DN20         R9.34*         400kPa         60Å*C           Angelo Po         CON9000         2NTBRSGA         Water using appliances         Gas Briaf Pan supplied with WMK certified dual check valve.         DN20         R9.34*         400kPa         60Å*C           Angelo Po         CON9000         2NTBRIGA         Water using appliances         Gas Briaf Pan supplied with WMK certified dual check valve.         DN20         R9.34*         400kPa         60Å*C           Angelo Po         CON9000         1NTBRISA         Water using appliances         Electric Briaf Pan supplied with WMK certified dual check valve.         DN20         R9.34*         400kPa         60Å*C           Angelo Po         CON9000         1NTBRISA         Water using appliances         Electric Briaf Pan supplied with WMK certified dual check valve.         DN20         R9.34*         400kPa         60Å*C           Angelo Po         CON9000         1NTBRISA         Water using appliances         Electric Briaf Pan supplied with WMK certified dual c	Angelo Po	ICON9000	1N1BR1GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angele Po         ICON8000         2N1BR3G         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angele Po         ICON8000         2N1BR2G         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angele Po         ICON8000         2N1BR1GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angele Po         ICON8000         2N1BR1GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angele Po         ICON8000         N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angele Po         ICON8000         N1BRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angele Po         ICON8000         N1BRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check	Angelo Po	ICON9000	1N1BR1G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         2N1BR2GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         400kPa         60Å**C           Angelo Po         ICON9000         2N1BR1GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         400kPa         60Å**C           Angelo Po         ICON9000         2N1BR1GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         400kPa         60Å**C           Angelo Po         ICON9000         1N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         400kPa         60Å**C           Angelo Po         ICON9000         1N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         400kPa         60Å**C           Angelo Po         ICON9000         1N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34**         400kPa         60Å**C           Angelo Po         ICON9000         1N1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certi	Angelo Po	ICON9000	2N1BR3GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         2N IBR2G         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*CO           Angelo Po         ICON9000         2N IBR1G         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*CO           Angelo Po         ICON9000         IN IBRSA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angelo Po         ICON9000         IN IBRSA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angelo Po         ICON9000         IN IBRSEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angelo Po         ICON9000         IN IBRSEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rg34*         400kPa         60Å*C           Angelo Po         ICON9000         2N IBRSEA         Water using appliances         Electric Brat Pan supplied with WMK certifi	Angelo Po	ICON9000	2N1BR3G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         2 h TBRT GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp314**         400kPa         60Å*C           Angelo Po         ICON9000         2 h TBRT G         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp314**         400kPa         60Å*C           Angelo Po         ICON9000         1 h TBR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp314**         400kPa         60Å*C           Angelo Po         ICON9000         1 h TBRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp314**         400kPa         60Å*C           Angelo Po         ICON9000         1 h TBRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp314**         400kPa         60Å*C           Angelo Po         ICON9000         1 h TBRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp314**         400kPa         60Å*C           Angelo Po         ICON9000         2 h TBRZEA         Water using appliances         Electric Brat Pa	Angelo Po	ICON9000	2N1BR2GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         211BR1G         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34*         400kPa         60Å*C           Angelo Po         ICON9000         111BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34*         400kPa         60Å*C           Angelo Po         ICON9000         111BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34*         400kPa         60Å*C           Angelo Po         ICON9000         111BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34*         400kPa         60Å*C           Angelo Po         ICON9000         111BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34*         400kPa         60Å*C           Angelo Po         ICON9000         111BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34*         400kPa         60Å*C           Angelo Po         ICON9000         211BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certifie	Angelo Po	ICON9000	2N1BR2G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         IN1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp.34**         400kPa         60Å*C           Angelo Po         ICON9000         IN1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp.34**         400kPa         60Å*C           Angelo Po         ICON9000         IN1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp.34**         400kPa         60Å*C           Angelo Po         ICON9000         IN1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp.34**         400kPa         60Å*C           Angelo Po         ICON9000         IN1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp.34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp.34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2E         Water using appliances         Electric Brat Pan supplied	Angelo Po	ICON9000	2N1BR1GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         1N1BR3E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         R934**         400kPa         60Å*C           Angelo Po         ICON9000         1N1BRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         R934**         400kPa         60Å*C           Angelo Po         ICON9000         1N1BRTEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         R934**         400kPa         60Å*C           Angelo Po         ICON9000         1N1BRTEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         R934**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         R934**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         R934**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with W	Angelo Po	ICON9000	2N1BR1G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         1N1BRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4*         400kPa         60Å*C           Angelo Po         ICON9000         1N1BRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4*         400kPa         60Å*C           Angelo Po         ICON9000         1N1BRTEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4*         400kPa         60Å*C           Angelo Po         ICON9000         1N1BRTE         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4*         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4*         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4*         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR1EA         Water using appliances         Electric Brat Pan supplied with WM	Angelo Po	ICON9000	1N1BR3EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         IN1BRZE         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         1N1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         1N1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR1EA         Water using appliances         Electric Brat Pan supplied with WM	Angelo Po	ICON9000	1N1BR3E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         1118R1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         111BR1E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp34**         400kPa         60Å*C           Angelo Po         ICON9000         111BR3GA         Water using appliances         Gas Brat Pan supplied with WMK ce	Angelo Po	ICON9000	1N1BR2EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         1N1BR1E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BRZEA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR1E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         171BR3GA         Water using appliances         Gas Brat Pan supplied with W	Angelo Po	ICON9000	1N1BR2E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po         ICON9000         2N1BR3EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR3E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR2E         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         2N1BR1EA         Water using appliances         Electric Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         11T1BR3GA         Water using appliances         Gas Brat Pan supplied with WMK certified dual check valve.         DN20         Rp3/4**         400kPa         60Å*C           Angelo Po         ICON9000         11T1BR3GA         Water using appliances         Gas Brat Pan supplied with WMK	Angelo Po	ICON9000	1N1BR1EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2N1BR3E Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 2N1BR2EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 2N1BR1EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 2N1BR1EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 2N1BR1EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å*C Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4* 400kPa 60Å	Angelo Po	ICON9000	1N1BR1E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2N1BR2EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2N1BR2E Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2N1BR1EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	2N1BR3EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2N1BR2E Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2N1BR1EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2N1BR1E Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	2N1BR3E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2N1BR1EA Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2N1BR1E Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	2N1BR2EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2N1BR1E Water using appliances Electric Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	2N1BR2E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	2N1BR1EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 1T1BR3G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC  Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	2N1BR1E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 1T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR2G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	1T1BR3GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 1T1BR2G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	1T1BR3G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 1T1BR1GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 1T1BR1G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC  Angelo Po ICON9000 2T1BR3G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	1T1BR2GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 1T1BR1G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC Angelo Po ICON9000 2T1BR3G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	1T1BR2G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2T1BR3GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60°C  Angelo Po ICON9000 2T1BR3G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60°C	Angelo Po	ICON9000	1T1BR1GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2T1BR3G Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60ŰC	Angelo Po	ICON9000	1T1BR1G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
	Angelo Po	ICON9000	2T1BR3GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po ICON9000 2T1BR2GA Water using appliances Gas Brat Pan supplied with WMK certified dual check valve. DN20 Rp3/4" 400kPa 60°C	Angelo Po	ICON9000	2T1BR3G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
	Angelo Po	ICON9000	2T1BR2GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Inlet	Max Working Pressure	Nominated Max Temp Delivery
Angelo Po	ICON9000	2T1BR2G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR1GA	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR1G	Water using appliances	Gas Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1BR3EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1BR3E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1BR2EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1BR2E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1BR1EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1BR1E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR3EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR3E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR2EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR2E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR1EA	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	2T1BR1E	Water using appliances	Electric Brat Pan supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	0N1CP1GL	Water using appliances	Gas Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	0N1CP1GH	Water using appliances	Gas Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1N1CP2GL	Water using appliances	Gas Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	1N1CP2GH	Water using appliances	Gas Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	0N1CP1EL	Water using appliances	Electric Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	0N1CP1EH	Water using appliances	Electric Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1N1CP2EL	Water using appliances	Electric Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	1N1CP2EH	Water using appliances	Electric Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	0T1CP1GL	Water using appliances	Gas Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	0T1CP1GH	Water using appliances	Gas Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1CP2GL	Water using appliances	Gas Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	1T1CP2GH	Water using appliances	Gas Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	0T1CP1EL	Water using appliances	Electric Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	0T1CP1EH	Water using appliances	Electric Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C
Angelo Po	ICON9000	1T1CP2EL	Water using appliances	Electric Pasta Cooker Low Version supplied with WMK certified dual check valve.	DN15	Rp1/2"	400kPa	60°C
Angelo Po	ICON9000	1T1CP2EH	Water using appliances	Electric Pasta Cooker High Version supplied with WMK certified dual check valve.	DN20	Rp3/4"	400kPa	60°C

END RECORD END RECORD

Chief Executive Officer of The IAPMO Group