

## BASKET LIFT FOR 40 L PASTA COOKER WELL

Automatic basket lifter made of AISI 304 stainless steel, 20/10 mm thickness top. Three digital displays, each dedicated to a single basket, with relative selection and control keys for setting 3 cooking times each, automatic lowering of the basket at the start of cooking. It can be positioned on the right or on the left of a pasta cooker 40 liter well. To be equipped with the special lifting baskets.



Worktop thickness 2 mm

### Functional features

- Three digital displays, each dedicated to a single basket, with relative selection and control keys for setting 3 cooking times each, automatic lowering of the basket at the start of cooking.
- Five seconds before the end of the set cooking time, an acoustic signal sounds and at the end of the set time the basket automatically rises to the dripping position.
- Stop button for immediate block of operation.
- Power supply on and off button.
- Installations through suitable accessories: freestanding on feet, on multi-elements support, cantilever on beam.

### Constructional features

- Work top made in AISI 304 stainless steel, 20/10 thickness with Scotch Brite finish.
- Structure and control console made in AISI 304 stainless steel with Scotch-Brite finish.
- Side-by-side top juxtaposition very rigid and accurate guaranteeing max quality and hygiene.

### Safety equipment and approvals

- Emergency stop button.
- CE approvals in respect of all directives and regulations.
- The product conforms to EC 1935/2004 Regulation and 21/03/1973 Rulemaking (Materials and Objects that are destined to come into Contact with Aliments).
- Approval to European Standard EN 1672-2 Hygienic Design.
- IPX5 protection rating.

### Optionals and Accessories

- Cestelli per sollevatore automatico, kit da 3 o 6 cestelli.

### Technical Data

Working voltage	230V 1N~ / 50Hz	Net Weight	50 kg
Gross Weight	58 kg	Electric Power	0,2 kW
Dimensions	20x92x75 cm	Packing	55x140x90 cm

BASKET LIFT FOR 40 L PASTA COOKER WELL

Icon9000 prof.900 - 2 mm