

ELECTRIC HOT CUPBOARD WITH REAR SPLASHBACK 120X70CM

AISI 304 stainless steel top, thickness 0.8 mm, 40 mm h, rear splashback 100 mm h. Sound deadening, water-fireproof chipboard panel underneath. Standing-structure closed by stainless steel panels. Internal shelf in stainless steel thickness 0.8 mm, 3 height adjustable. Stainless steel sliding soundproofing double-skin doors. Ventilated heating by armoured heating elements, digital thermostat. AISI 304 tubular stainless steel feet (diameter 50 mm), height adjustable 60 mm.



Heating	yes	Rear splashback	yes
Working side	One working side		

Functional features

- Worktop version with rear splashback height 100 mm, integral with the worktop itself, base radiused.
- Ergonomics, offering a standard height of 90 cm from the floor.
- Height adjustable feet for ground leveling.

Constructional features

- Worktop h = 40 mm made in AISI 304 stainless steel sheet, thickness 8-10 of mm with upturned edges and soundproofing. Under panel made in melamine faced chipboard, water and sound proof, thickness 18 mm.
- Free-standing structure closed by stainless steel panels. Internal shelf in AISI 430 stainless steel thickness 0.8 mm, 3 height adjustable.
- Sliding soundproofed double-skin doors made of AISI 430 stainless steel.
- Handle obtained from the door, with handsafe fold.
- Ventilated heating by armoured heating elements, digital thermostat.

Safety equipment and approvals

- The product conforms to EC 1935/2004 Regulation and 21/03/1973 Rulemaking (Materials and Objects that are destined to come into Contact with Aliments).

Optional

- Wheels.

Technical Data

Working voltage	230V 1N~ / 50 ÷ 60Hz	Net Weight	63,7 kg
Gross Weight	67 kg	Electric Power	1,25 kW
Dimensions	120x70x90 cm	Packing	120x70x100 cm