

ELECTRIC HOT CUPBOARD 200X70 CM

AISI 304 stainless steel double side top, thickness 0.8 mm, 40 mm h. Sound deadening, water-fireproof chipboard panel underneath. Standing-structure closed by stainless steel panels. Internal shelf in stainless steel thickness 0.8 mm, 3 height adjustable. Stainless steel sliding soundproofing double-skin doors. Ventilated heating by armoured heating elements, digital thermostat. AISI 304 tubular stainless steel feet (diameter 50 mm), height adjustable 60 mm.



Rear splashback

no

Working side

Two working sides

Functional features

- Double sided worktop version.
- Ergonomics, offering a standard height of 90 cm from the floor.
- Height adjustable feet for ground leveling.

Constructional features

- Worktop h = 40 mm made in AISI 304 stainless steel sheet, thickness 8-10 of mm with upturned edges and soundproofing. Under panel made in melamine faced chipboard, water and sound proof, thickness 18 mm.
- Free-standing structure closed by stainless steel panels. Internal shelf in AISI 430 stainless steel thickness 0.8 mm, 3 height adjustable.
- Sliding soundproofed double-skin doors made of AISI 430 stainless steel.
- Handle obtained from the door, with handsafe fold.
- Ventilated heating by armoured heating elements, digital thermostat.

Safety equipment and approvals

- The product conforms to EC 1935/2004 Regulation and 21/03/1973 Rulemaking (Materials and Objects that are destined to come into Contact with Aliments).

Optional

- Wheels.

Technical Data

| | | | |
|-----------------|----------------------|----------------|---------------|
| Working voltage | 230V 1N~ / 50 ÷ 60Hz | Net Weight | 94,1 kg |
| Gross Weight | 99 kg | Electric Power | 1,25 kW |
| Dimensions | 200x70x90 cm | Packing | 200x70x100 cm |

700 line EcoLine
ELECTRIC HOT CUPBOARD 200X70 CM